NEW GRADUATE STUDENT HEALTH FORMS CHECKLIST

Dear student, welcome to WPI!

Please complete and upload all forms to the WPI Student Health Portal.



Individual immunization dates <u>need</u> to be entered by all students so they can be reviewed by the WPI Student Health Services (SHS) Office to ensure compliance. Once you are enrolled in courses in Workday, you will gain access to the WPI Student Health Portal (Medicat) linked below.

The deadline for forms submission is **JUNE 27, 2023.** If you are admitted after the June 27th deadline, you have until August 24, 2023 to upload your health forms to the Student Health Portal.

The Health Portal can be accessed through the following link: https://wpi.medicatconnect.com/default.aspx

✓ Immunization Record

- a. This form should be <u>completed and signed</u> by your medical provider <u>or</u> you can submit a printed copy of your immunization records from your medical providers office. You do not need to use this specific form.
- Included in this packet is the Massachusetts School Immunizations Requirements informational page.
 Graduate students under 30 years of age are required to comply with the Massachusetts School Immunization Requirements.

✓ Tuberculosis (TB) Screening Questionnaire

- a. Complete the top portion of the form (up to the stop sign) and sign.
- b. If the you answer yes to any of the questions in the screening section, the bottom portion of the form must be completed by your medical provider for further TB screening.

✓ Meningitis Vaccine Waiver

- a. If you do not wish to have the meningitis vaccine, please review, and sign the meningitis waiver form.
- b. The waiver form can be found on the WPI Student Health Services web page.
- c. If you have had the meningitis vaccine, you do not need to complete this form.

✓ Student Vaccine Exemption Form

- a. Please review and sign the vaccine exemption form if you have a medical or religious vaccine exemption.
- b. Please provide additional documentation as needed per the instructions found on this form.

Contact the WPI Student Health Services Office at 508.831.5520 if you have any questions regarding the required health forms.

If you have questions regarding the student health insurance, please call the WPI Bursar's Office at 508.831.5203.

If the required health forms listed above are not submitted and complete within 30 days of starting classes, a "hold" will be placed on your academic record keeping you from registering for classes in the future.

REMINDER: Please keep a copy of all forms for your personal records.

Massachusetts School Immunization Requirements 2023-2024§

Requirements apply to all students including individuals from another country attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students, even if over 18 years of age.

College (Postsecondary Institutions)**†

Requirements apply to all full-time undergraduate and graduate students under 30 years of age and all full- and part-time health science students. Meningococcal requirements apply to the group specified in the table below.

Tdap	1 dose; and history of a DTaP primary series or age-appropriate catch-up vaccination. Tdap given at ≥7 years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule. Td or Tdap should be given if it has been ≥10 years since Tdap
Hepatitis B	3 doses; laboratory evidence of immunity acceptable; 2 doses of Heplisav-B given on or after 18 years of age are acceptable
MMR	2 doses; first dose must be given on or after the 1 st birthday and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable. Birth in the U.S. before 1957 acceptable only for non-health science students
Varicella	2 doses; first dose must be given on or after the 1 st birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable. Birth in the U.S. before 1980 acceptable only for non-health science students
Meningococcal	1 dose; 1 dose MenACWY (formerly MCV4) required for all full-time students 21 years of age or younger. The dose of MenACWY vaccine must have been received on or after the student's 16 th birthday. Doses received at younger ages do not count towards this requirement. Students may decline MenACWY vaccine after they have read and signed the MDPH Meningococcal Information and Waiver Form provided by their institution. Meningococcal B vaccine is not required and does not meet this requirement

§ Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

^{**} The immunization requirements apply to all students who attend any classes or activities on campus, even once. If all instruction and activities are remote and the student will never be on campus in person, the requirements would not apply. Should a student physically return to campus, they would need comply with this requirement

[†]Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) must be renewed annually at the start of the school year and religious exemptions (statement from a student, or parent/guardian if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs) should be renewed annually at the start of the school year.

^{*}A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant, or designee.

WPI Student Immunization Record

WPI Student Health Services (SHS) 100 Institute Road, Worcester, MA 01609 phone: 508-831-5520

fax: 508-831-5953

A physician, physician assis questions in English and sign	. •					f the student mu	st complete all
ast name, first name		 preferred n	name and pronou	ns		date of bir	th (month/day/year
lassachusetts State Law, an nfectious diseases.	d WPI policy, require	all students, regard	lless of age o	or gender, to	submit documenta	ation of immunit	y to certain
or these infectious diseas	es, dates of immuni	zation <i>or</i> serologic _l	proof of imr	nunity are	required:		
Required Imi		ization dates (montl	tion dates (month/day/year) st be at least 30 days apart. Serologic proof If providing serologic proof of immunity, laboratory test results when submit				
Measles, mumps, and rubella	MMR vaccine	date of first dose	date of seco	ond dose	Positive IgG serologic test	Date of test (month/day/year)	Test results attached
(combined MMR vaccine or separate measles, mumps, and rubella	Measles vaccine	date of first dose	date of seco	ond dose	Measles		- 🗆
vaccines) 2 doses required;	Mumps vaccine	date of first dose	date of seco	ond dose	Mumps		- 🗆
first dose must be after age 1.	Rubella vaccine	date of first dose	date of seco	ond dose	Rubella		- 🗆
Hepatitis B 3 doses required	date of first dose	date of second dose	date of third	d dose	Hepatitis B surface antibody		- 🗆
Varicella — 2 doses or history of disease required	date of first dose	date of second dose	History o	of disease:	Varicella		- 🗆
and pertussis) wit	e of most recent dose hin the past 10 years	Meningococcal (serogroups A, G	C, W, Y) dat	e of immunizatio ust be on or afte	on r student's 16th birthday)		signed waiver, en submitting form
Recommended immunizat		nunization dates (m	onth/day/yo) arl			
Paysara ar Trumanha /Ma		iumzation dates (iii	iontin/day/ye	: a1)			
Bexsero or Trumenba (Meningococcal serogroup B) (2-dose series)		of first dose	da	te of second dose	dose date of third dose (Trumenba only)		umenba only)
Covid-19	date	of most recent dose					
Hepatitis A (2-dose series)	date	of first dose	dat	te of second dose	e		
HPV (3-dose series)		of first dose	date	e of second dose		date of third dose	
Influenza (annual dose)		of most recent dose					
ertification by health care	provider (required)	:					
gnature of health care provider		printed name	e			date (month/c	lay/year)
ealth care provider address				phone			

Name (pr	nt):	DOB
	16/1	505

WPI STUDENT HEALTH SERVICES TUBERCULOSIS SCREENING

Required for all undergraduate and graduate students.

1.	Were you born in one of the countries listed below?	□Yes	□No
2.	Have you traveled or lived for more than one month in one of the countries listed below?	□Yes	□No
3.	Have you been in close contact with someone with tuberculosis?	□Yes	□No
4.	Have you resided or worked in a prison, homeless shelter, nursing home or hospital?	□Yes	□No
5.	Have you ever had a positive tuberculosis skin or blood test?	□Yes	□No



If you answer "NO" to all question	ons 1-5, Sign, da	te and submit	form to WPI Student H	lealth Services			
Student Signature:		D	ate:				
If you answered "YES" to any questions 1 1. PPD skin test dated within the past			_	required:			
2. Chest x-ray dated within the past 2	years from the	start of cours	ses at WPI				
3. IGRA (Quantiferon Gold) blood test	within the past	5 years from	the start of course at W	PI			
•	A history of BCG vaccination does not preclude testing. Documentation of the above should be uploaded to the student health portal, or a healthcare provider can complete the bottom portion of this form.						
PPD: Date PlantedDate Re	ead (<i>within 48-7</i>	2 hours)	Result	mm of induration			
•	If you have a positive tuberculin skin test (PPD), documentation of a chest x-ray or IGRA (Quantiferon Gold) blood test is required.						
Date of positive PPD	Date of X-Ray_		Result: Normal A	Abnormal (attach report)			
IGRA: Date	Results:						
INH prophylaxis	□ Initiated □	□ Completed (attach report)				
SIGNATURE OF HEALTHCARE PROVIDER	:						
Name (print):			Phone:				

Countries with High Rates of TB

Address:

Angola, Azerbaijan, Bangladesh, Belarus, Botswana, Brazil, Cameroon, Central African Republic, China, Congo, Democratic People's Republic of Korea, Democratic Republic of the Congo, Eswatini, Ethiopia, Gabon, Guinea, Guinea-Bissau, India, Indonesia, Kazakhstan, Kenya, Kyrgyzstan, Lesotho, Liberia, Malawi, Mongolia, Mozambique, Myanmar, Namibia, Nepal, Nigeria, Pakistan, Papua New Guinea, Peru, Philippines, Republic of Moldova, Russia Federation, Sierra Leone, Somalia, South Africa, Tajikistan, Thailand, Uganda, Ukraine, United Republic of Tanzania, Uzbekistan, Viet Nam, Zambia, Zimbabwe

Source: WHO Global Tuberculosis Report 2022: https://www.who.int/publications/i/item/9789240061729

Information about Meningococcal Disease, Meningococcal Vaccines, Vaccination Requirements and the Waiver for Students at Colleges and Residential Schools



Colleges: Massachusetts requires all newly enrolled full-time students 21 years of age and under attending a postsecondary institution (e.g., college) to receive a dose of quadrivalent meningococcal conjugate vaccine on or after their 16th birthday to protect against serotypes A, C, W and Y **or** fall within one of the exemptions in the law, discussed on the reverse side of this sheet.

Residential Schools: Massachusetts requires all newly enrolled full-time students attending a secondary school who will be living in a dormitory or other congregate housing licensed or approved by the secondary school or institution (e.g., boarding school) to receive quadrivalent meningococcal conjugate vaccine to protect against serotypes A, C, W and Y **or** fall within one of the exemptions in the law, discussed on the reverse side of this sheet.

The law provides an exemption for students signing a waiver that reviews the dangers of meningococcal disease and indicates that the vaccination has been declined. To qualify for this exemption, you are required to review the information below and sign the waiver at the end of this document. Please note, if a student is under 18 years of age, a parent or legal quardian must be given a copy of this document and must sign the waiver.

What is meningococcal disease?

Meningococcal disease is caused by infection with bacteria called *Neisseria meningitidis*. These bacteria can infect the tissue that surrounds the brain and spinal cord called the "meninges" and cause meningitis, or they can infect the blood or other body organs. Symptoms of meningococcal disease may appear suddenly. Fever, severe and constant headache, stiff neck or neck pain, nausea and vomiting, sensitivity to light and rash can all be signs of meningococcal disease. Changes in behavior such as confusion, sleepiness, and trouble waking up can also be important symptoms. Less common presentations include pneumonia and arthritis. In the US, about 350-550 people get meningococcal disease each year and 10-15% die despite receiving antibiotic treatment. Of those who live, another 10-20% lose their arms or legs, become hard of hearing or deaf, have problems with their nervous systems, including long term neurologic problems, or suffer seizures or strokes.

How is meningococcal disease spread?

These bacteria are passed from person-to-person through saliva (spit). You must be in close contact with an infected person's saliva in order for the bacteria to spread. Close contact includes activities such as kissing, sharing water bottles, sharing eating/drinking utensils or sharing cigarettes with someone who is infected; or being within 3-6 feet of someone who is infected and is coughing or sneezing.

Who is at most risk for getting meningococcal disease?

High-risk groups include anyone with a damaged spleen or whose spleen has been removed, those with persistent complement component deficiency (an inherited immune disorder), HIV infection, those traveling to countries where meningococcal disease is very common, microbiologists who work with the organism and people who may have been exposed to meningococcal disease during an outbreak. People who live in certain settings such as first year college students living on campus and military recruits are also at greater risk of disease from some of the serogroups.

Which students are most at risk for meningococcal disease?

In the 1990s, college freshmen living in residence halls were identified as being at increased risk for meningococcal disease. Meningococcal disease and outbreaks in young adults were primarily due to serogroup C. However, following many years of routine vaccination of young people with quadrivalent meningococcal conjugate vaccine (for serogroups A, C, W and Y), serogroup B is now the primary cause of meningococcal disease and outbreaks in young adults. Among the approximately 9 million students aged 18-21 years enrolled in college, there are an average of 20 cases and 0-4 outbreaks due to serogroup B reported annually. Although incidence of serogroup B meningococcal disease in college students is low, four-year college students are at increased risk compared to non-college students; risk is highest among first-year students living on campus. The close contact in college residence halls, combined with social mixing activities (such as going to bars, clubs or parties; participating in Greek life; sharing food or beverages; and other activities involving the exchange of saliva), may put college students at increased risk.

Is there a vaccine against meningococcal disease?

Yes, there are 2 different meningococcal vaccines. Quadrivalent meningococcal conjugate vaccine (Menactra and Menveo) protects against 4 serotypes (A, C, W and Y) of meningococcal disease. Meningococcal serogroup B vaccine (Bexsero and Trumenba) protects against serogroup B meningococcal disease. Quadrivalent meningococcal conjugate vaccine is routinely recommended at age 11-12 years with a booster at age 16. Students receiving their first dose on or after their 16th birthday do not need a booster. Individuals in certain high risk groups may need to receive 1 or more of these vaccines based on their doctor's recommendations. Adolescents and young adults (16-23 years of age) who are not in high risk groups may be vaccinated with meningococcal B vaccine, preferably at 16-18 years of age, to provide short-term protection for most strains of serogroup B meningococcal disease. Talk with your doctor about which vaccines you should receive.

MDPH 2020 (see reverse side)

Is the meningococcal vaccine safe?

Yes. Getting meningococcal vaccine is much safer than getting the disease. Some people who get meningococcal vaccine have mild side effects, such as redness or pain where the shot was given. These symptoms usually last for 1-2 days. A small percentage of people who receive the vaccine develop a fever. The vaccine can be given to pregnant women. A vaccine, like any medicine, is capable of causing serious problems such as severe allergic reactions, but these are rare.

Is meningococcal vaccine mandatory for entry into secondary schools that provide housing, and colleges? Massachusetts law (MGL Ch. 76, s.15D) and regulations (105 CMR 220.000) requires both newly enrolled full-time students attending a secondary school (those schools with grades 9-12) who will be living in a dormitory or other congregate housing licensed or approved by the secondary school or institution and newly enrolled full-time students 21 years of age and younger attending a postsecondary institution (e.g., colleges) to receive a dose of guadrivalent meningococcal conjugate vaccine.

At affected secondary schools, the requirements apply to all new full-time residential students, regardless of grade (including grades pre-K through 8) and year of study. Secondary school students must provide documentation of having received a dose of quadrivalent meningococcal conjugate vaccine at any time in the past, unless they qualify for one of the exemptions allowed by the law. College students 21 years of age and younger must provide documentation of having received a dose of quadrivalent meningococcal conjugate vaccine on or after their 16th birthday, regardless of housing status, unless they qualify for one of the exemptions allowed by the law. Meningococcal B vaccines are not required and do not fulfill the requirement for receipt of meningococcal vaccine. Whenever possible, immunizations should be obtained prior to enrollment or registration. However, students may be enrolled or registered provided that the required immunizations are obtained within 30 days of registration.

Exemptions: Students may begin classes without a certificate of immunization against meningococcal disease if: 1) the student has a letter from a physician stating that there is a medical reason why he/she can't receive the vaccine; 2) the student (or the student's parent or legal guardian, if the student is a minor) presents a statement in writing that such vaccination is against his/her sincere religious belief; or 3) the student (or the student's parent or legal guardian, if the student is a minor) signs the waiver below stating that the student has received information about the dangers of meningococcal disease, reviewed the information provided and elected to decline the vaccine.

Shouldn't meningococcal B vaccine be required?

CDC's Advisory Committee on Immunization Practices has reviewed the available data regarding serogroup B meningococcal disease and the vaccines. At the current time, there is no routine recommendation and no statewide requirement for meningococcal B vaccination before going to college (although some colleges might decide to have such a requirement). As noted previously, adolescents and young adults (16 through 23 years of age) may be vaccinated with a serogroup B meningococcal vaccine, preferably at 16 through 18 years of age, to provide short term protection against most strains of serogroup B meningococcal disease. This would be a decision between a patient or parent and a healthcare provider. These policies may change as new information becomes available

Where can a student get vaccinated?

Students and their parents should contact their healthcare provider and make an appointment to discuss meningococcal disease, the benefits and risks of vaccination, and the availability of these vaccines. Schools and college health services are not required to provide you with this vaccine.

Where can I get more information?

- Your healthcare provider
- The Massachusetts Department of Public Health, Division of Epidemiology and Immunization at (617) 983-6800 or www.mass.gov/dph/imm and www.mass.gov/dph/epi
- Your local health department (listed in the phone book under government)

Waiver for Meningococcal Vaccination Requirement

I have received and reviewed the information provided on the risks of meningococcal disease and the risks and benefits of quadrivalent meningococcal conjugate vaccine. I understand that Massachusetts' law requires newly enrolled full-time students at secondary schools who are living in a dormitory or congregate living arrangement licensed or approved by the secondary school, and newly enrolled full-time students at colleges and universities who are 21 years of age or younger to receive meningococcal vaccinations, unless the students provide a signed waiver of the vaccination or otherwise qualify for one of the exemptions specified in the law.

After reviewing the materials above on the meningococcal vaccine.	ose to waive receipt of				
Student Name:	Date of Birth:	Student ID:			
Signature:	Date:				
(Student or parent/legal guardian, if stu	dent or parent/legal guardian, if student is under 18 years of age)				
MDPH Meningococcal Information and Waiver Form	Updated September 2020				
Provided by: Massachusetts Department of Public Health	/ Divisions of Epidemiology and Immunization / 617-9	983-6800			



Student Vaccine Exemption

WPI Student Health Services 100 Institute Road Worcester, MA 01609

academic year.

Questions? shs@wpi.edu or 508-831-5520

rom the	requirement	to receive the follow			•	nic Institute and request that Public Health, 105 CMR 220.60	-
] All	[]MMR	[] Hepatitis B	[] Meningitis	[] Tdap	[] Varicella	[] Other:	
I reque	st that I be ex	empt from the requi	rement to receive th	ne above vacci	nations and im	munizations based on:	
☐ Med	ical grounds.	Please explain:					
must sp	ecify which i	mmunization(s) can		tify that the p	rovider has pers	der, in addition to completing sonally examined the student	
☐ Relig	ious grounds	. I certify that the re	ceipt of a vaccine or	immunization	would conflict	with or violate my sincere reli	gious beliefs.
car	npus or recei	ve an immunization		ole disease and	d will follow WP	, I will (at my own expense) ei I's policies and protocols as w ease.	
dis wit	ease are pres h the Massac	ent on campus or in	WPI's geographical a Diseases, Surveilland	area, I may be	subject to testir	e disease or any other commu ng, isolation, or quarantine in a ine Requirements (105 CMR 3	ccordance
Studen	t Name (pleas	e print)			D	ate of Birth (month/day/year)	
Studen	t Signature					Pate (month/day/year)*	
Local/ C	Campus Addre	255			Ī	D	
City, Sta	ate, Zip Code						

Upload completed Exemption Form and letter from your medical provider, if required, to the secure health portal.

Note: The Massachusetts Department of Public Health requires this waiver to be renewed annually at the start of each

Updated 4/2023